

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|--|--|------------------|---------|------------------|
| L1 | 685961 | ((370"/("271", "310", "314", "321", 329-330, 337-338, "341", "345", "347", "349", "442", "473", "535", "538", "540", 901-902, "912", 915-916, "395.21", "395.3-395.4", "395.64").cdls.) or ("455"/("422.1", "434", 450-451, "466", "509", "550.1", "556.2", "561").cdls.) or ("714"/("18", "20", 748-751, "746").cdls.)) | US_PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 18:31 |
| L2 | 16 | ((MARTIN) near2 (DOTTLING).INV. | US_PGPUB; USPAT; USOOR | OR | ON | 2009/01/14 18:32 |
| L3 | 90 | ((BERNHARD) near2 (RAAF).INV. | US_PGPUB; USPAT; USOOR | OR | ON | 2009/01/14 18:32 |
| L4 | 15 | (Siemens adj Aktiengesellschaft).AS. | US_PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 18:33 |
| L5 | 204371 | Siemens.AS. | US_PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 18:34 |
| L6 | 204371 | I4 or I5 | US_PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 18:34 |
| L7 | 88341 | ((number near6 (packet or block or frame)) and ((control or signal\$3) near5 (data or information or message or parameter)) and ((source near6 encod\$3) (source near6 cod\$3) or (source near6 decod\$3) or multiplex\$3 or combin\$5 or aggregat\$3) and (transmi\$5 near5 (data or packet))) | US_PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 18:39 |

| | | | | | | |
|-----|-------|--|--|----|----|------------------|
| L8 | 77416 | ((number near6 (packet or block or frame)) and ((control or signal\$3) near5 (data or information or message or parameter)) and ((source near6 encod \$3) (source near6 cod\$3) or (source near6 decod\$3) or multiplex\$3 or combin\$5 or aggregat\$3) and (transmi\$5 near5 (data or packet)) and ((access adj point) or (base near3 station) or BS or AP)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 18:40 |
| L9 | 21003 | ((number near6 (packet or block or frame)) and (((control or signal\$3) near5 (data or information or message or parameter)) with ((source near6 encod \$3) (source near6 cod\$3) or (source near6 decod\$3) or multiplex\$3 or combin\$5 or aggregat\$3) and (transmi\$5 near5 (data or packet))) and ((access adj point) or (base near3 station) or BS or AP)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 18:41 |
| L10 | 8073 | ((number near4 (packet or block or frame)) and (((control or signaling) near5 (data or information or message or parameter)) near9 ((source near6 encod \$3) (source near6 cod\$3) or (source near6 decod\$3) or multiplex\$3 or combin\$5 or aggregat\$3) and (transmi\$5 near5 (data or packet))) and ((access adj point) or (base near3 station) or BS or AP)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 18:42 |
| L11 | 7508 | ((number near4 (packet or block or frame)) and (((control or signaling) near5 (data or information or message or parameter)) near7 ((source near6 encod \$3) or (source near6 cod\$3) or (source near6 decod\$3) or multiplex\$3 or combin\$5 or aggregat\$3)) and (transmi\$5 near5 (data or packet)) and ((access adj point) or (base near3 station) or BS or AP)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 18:44 |

| | | | | | | |
|-----|------|---|--|----|----|------------------|
| L12 | 5218 | ((number near3 (packet or block or frame)) and (((control or signaling) near4 (data or information or message or parameter)) near5 ((source adj encod\$3) or (source adj cod\$3) or (source adj decod\$3) or multiplex\$3 or combin\$5 or aggregat\$3)) and ((transmi \$5 near3 (data or packet)) and ((access adj point) or (base near3 station) or BS or AP)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 18:46 |
| L13 | 3047 | ((number near3 (packet or block or frame)) and (((control or signaling) near4 (data or information or message or parameter)) near5 ((source adj encod\$3) or (source adj cod\$3) or (source adj decod\$3) or multiplex\$3 or combin\$5 or aggregat\$3)) and ((transmi \$5 near3 (data or packet)) and ((access adj point) or (base near3 station) or BS or AP) with (mobile or wireless or portable or terminal or node or UE or MS or unit or station)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 18:47 |
| L14 | 1899 | ((number near2 (packet or block or frame)) and (((control or signaling) near3 (data or information or message or parameter)) near5 ((source adj encod\$3) or (source adj cod\$3) or (source adj decod\$3) or multiplex\$3 or combin\$5 or aggregat\$3)) and ((transmi \$5 near2 (data or packet)) and ((access adj point) or (base near3 station) or BS or AP) near7 (mobile or wireless or portable or terminal or node or UE or MS or unit or station)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 18:49 |

| | | | | | | |
|-----|-----|---|--|----|----|------------------|
| L15 | 663 | ((number near2 (packet or block or frame)) and (((control or signaling) near3 (data or information or message or parameter)) near5 ((source adj encod\$3) or (source adj cod\$3) or (source adj decod\$3) or multiplex\$3 or combin\$5 or aggregat\$3)) and ((transmi \$5 near2 (data or packet)) and ((access adj point) or (base near3 station) or BS or AP) near7 (mobile or wireless or portable or terminal or node or UE or MS or unit or station) and cellular) | US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 18:50 |
| L16 | 320 | ((number near2 (packet or block or frame)) and (((control or signaling) near3 (data or information or message or parameter)) near5 ((source adj encod\$3) or (source adj cod\$3) or (source adj decod\$3) or multiplex\$3 or combin\$5 or aggregat\$3)) and ((transmi \$5 near3 (data near3 packet)) and ((access adj point) or (base near3 station) or BS or AP) near7 (mobile or wireless or portable or terminal or node or UE or MS or unit or station) and cellular) | US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 18:53 |
| L17 | 119 | ((number near2 (packet or block or frame)) and (((control or signaling) near3 (data or information or message or parameter)) near5 ((source adj encod\$3) or (source adj cod\$3) or (source adj decod\$3) or multiplex\$3 or combin\$5 or aggregat\$3)) and ((transmi \$5 near3 (data near3 packet)) and ((access adj point) or (base near3 station) or BS or AP) near7 (mobile or wireless or portable or terminal or node or UE or MS or unit or station) and (cellular near5 network)) | US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 18:58 |

| | | | | | | |
|-----|------|--|---|----|----|---------------------|
| L18 | 93 | I1 and I17 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 18:58 |
| L19 | 47 | I1 and (I3 or I4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 18:59 |
| L20 | 3290 | I1 and I6 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 18:59 |
| L21 | 3383 | I18 or I19 or I20 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 19:00 |
| L22 | 85 | ((source near6 (cod\$3 or encod\$3)) near9 (packet near3 number)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 19:00 |
| L23 | 1760 | ((source near6 (cod\$3 or encod\$3)) near9 (control near5 (data or parameter or information or message))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 19:02 |
| L24 | 1526 | ((source near6 (cod\$3 or encod\$3)) near6 (control near5 (data or parameter or information or message))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 19:02 |
| L25 | 979 | ((source near3 (cod\$3 or encod\$3)) near6 (control near5 (data or parameter or information or message))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 19:02 |
| L26 | 4 | I22 same I25 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 19:03 |

| | | | | | | |
|-----|------|---|---|----|----|---------------------|
| L27 | 6 | I22 and I25 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 19:06 |
| L28 | 0 | I21 and I22 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 19:07 |
| L29 | 2 | I21 and I25 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 19:07 |
| L30 | 118 | ((source near6 (cod\$3 or encod\$3)) with (packet near3 number)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 19:09 |
| L31 | 2324 | ((source near6 (cod\$3 or encod\$3)) with (control near5 (data or parameter or information or message))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 19:11 |
| L32 | 7 | I30 and I31 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 19:11 |
| L33 | 2 | I1 and I32 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 19:13 |
| L35 | 1 | (I2 or I3) and I32 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 19:14 |
| L36 | 2 | I6 and I32 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/14 19:15 |

1/14/2009 7:16:08 PM

C:\Documents and Settings\mzewdu\My Documents\EAST\Workspaces\workstation 1.wsp